



# LIVART

ART YOU CANT TOUCH



**LIVENTA LAMINATES LLP**  
NR.NAVA DHANALA CROSSING, MALIYA-HALVAD HIGHWAY,  
SUSVAV-363351, TA-HALVAD, DIST-MORBI, GUJARAT.  
Liventalaminates@gmail.com  
www.liventalaminates.com  
Ph. no: +91 87582 55550 / 2

Follow On :



YUVA GRAPHICS 7567500088



# LIVART

ART YOU CANT TOUCH



# LIVART

ART YOU CANT TOUCH

BALANCE LIVES  
IN  
SIMPLICITY



A PRODUCT OF  
**LIVENTA**  
Charge your decor space with us....



# START <sup>in</sup> Colours



Clean. Crisp. Contemporary. Our Plain Colour Laminates strip design back to its purest form. Ideal for minimal interiors and modern environments, this range delivers smooth finishes in a spectrum of versatile colours. Built for performance and beauty, each sheet brings durability without distraction – just pure, uninterrupted colour. Form meets function in every panel. Our Plain Colour Laminates are engineered for everyday use while offering aesthetic appeal across residential and commercial projects. From subtle whites and greys to vibrant solids, these laminates are stain-resistant, easy to maintain, and ideal for surfaces that demand both strength and style.



BEYOND THE COVER  
• DISCOVER • SHADES

# LIVART

ART YOU CAN TOUCH



- |                                                                                                                  |                                                                                                             |                                                                                                                                 |                                                                                                              |
|------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| <br>Antibacterial Laminates | <br>Borer Resistant    | <br>Crack Resistant                        | <br>Moisture Resistant  |
| <br>Heat Resistant          | <br>Scratch Resistant  | <br>Colour Fastness Under Artificial Light | <br>Ease of Maintenance |
| <br>Impact Resistant        | <br>Abrasion Resistant | <br>Resistant to Cigarette Burns           | <br>Chemical Resistant  |

From that first studio experiment to today's globally trusted brand, one conviction has never wavered: purity of colour invites purity of experience. LivArt will continue to innovate introducing antimicrobial finishes, tactile micro-textures, and AI-assisted colour forecasting so that the next generation of designers can keep dreaming, and drawing, in solid, timeless hues.

## SURFACE INDEX



METALLIC HG



CHECKER LINES



RUSTIC RIPPLE



CARVING STONE



RELEASE FLUTE



ZUTE FABRIC



RUFF STONE



ANGLE FLUTE



TRIANGLE BUTTON



BAMBOO FLUTE



ZERO VENZA



HIGH GLOSS



STEEL BALL



ZERO SILKY

## 2 YEARS OF OUR SUCCESS NETWORK





1101 HG PR | PALLADIUM MILD



1102 HG PR | MOONLIT PEARL



1103 HG PR | HEMATITE IVORY



1104 HG PR | TUNGSTEN SOFT



1105 HG PR | ELECTRUM GLOW



1106 HG PR | STARLIGHT WHITE

TOUCH OF GOLDEN ELEGANCE  
ASTONISHING  
SHINE



1107 HG PR | MERCURY ARTIST



1108 HG PR | OBSIDIAN GLAZE



1110 HG PR | STERLING SILVER



1109 HG PR | COBALT HOLIEST



1113 HG PR | LUNAR SILVERIAN



1114 HG PR | SATEEN NICKELS



1115 HG PR | DIAMOND SHEEN



1111 HG PR | OSMIUM RADIANT



1112 HG PR | OBSIDIAN METALIC


BEHIND THE TOUCH  
• DISCOVER • ESSENCE

AGLIMPSE OF ARTISTIC GRANDEUR  
**CHARMING**







9123 ZS | PARLYTE GREY




1043 ZS | BAMBU GREEN



1075 ZS | SHAMROCK ART




1074 ZS | SEAFOAM MID



1070 RR | ONYX GREY



1069 RR | EGG GREY



1058 RR | SEPIA COLT




1057 RR | IRON DEEP



ASTROKEOFMODERNMAJESTY  
**EUPHORIA**



1061 RR | PEBBLE GREY




1060 RR | SAND DUNE

AGLIMPSE OF REGAL GRANDEUR  
**PRESTIGE**

CLASS THE CHOICE  
• EXPAND • SHADES



1006 RS | THUNDER GREY




1007 RS | BROOK GREY

WITHIN THE LAYERS  
• UNCOVER • TONES




1062 RS | TAN BERRY

ACROSS THE CANVAS  
• EXPLORE • COLOURS



1063 RS | COCOA MIST

ASTROKEOFCREATIVEBRILLIANCE  
**ELEGANCE**




1043 RS | BAMBU GREEN



1074 RS | SEAFOAM MID




1007 RF | BROOK GREY



1006 RF | THUNDER GREY



1901 RF | MISTRY MILD



1074 RF | SEAFOAM MID



1075 RF | SHAMROCK ART




1043 RF | BAMBU GREEN


A WAVE OF CLASSIC CHARM

# HARMONY


BEHIND THE DESIGN  
• DISCOVER • DETAILS




9121 ZS | MAPLE WOOD



1054 ZS | VIRIDIAN ICE



1055 ZS | COFFEE BROWN



A TOUCH OF ROYAL REFINEMENT

# SERENITY



1060 TB | SAND DUNE



1056 TB | DAFFODIL BIT



1069 TB | EGG GREY



1071 TB | SKY MIST

ES  
SE  
NCE






1055 ZV | COFFEE BROWN



1056 ZV | DAFFODIL BIT



1062 ZV | TAN BERRY




1063 ZV | COCOA MIST


A MOMENT OF CRAFTED PERFECTION

# MAJESTY






1054 SB | VIRIDIAN ICE




1055 SB | COFFEE BROWN


ASYMPTOTE OF SUBTLETY  
**CROWN**




1057 SB | IRON DEEP



1059 SB | UMBER NUT



1901 SB | MISTRY MILD




1076 SB | LAGOON GLUE

WITHIN THE PATTERN  
• UNCOVER • DEPTHS







9122 ZS | MERANTI WOOD



1063 ZS | COCOA MIST



1062 ZS | TAN BERRY




AROUND THE EDGES  
• FIND • SHAPES




A WHISPER OF ETERNAL GRACE

# DIGNITY


BEYOND THE FINISH  
• UNVEIL • BEAUTY



1069 CL | EGG GREY



1901 CL | MISTRY MILD




1073 CL | CAPRI BLUE




1075 CL | SHAMROCK ART




ADASHOPPURESOPHISTICATION  
**LEGACY**




1074 CS | SEAFOAM MID




1043 CS | BAMBU GREEN




1901 CS | MISTRY MILD



1053 CS | MINT FROST



1072 CS | DEEP SEA





1051 CS | SALMONA BELL




# ELEGANCE

BEYOND THE ORDINARY  
• CELEBRATE • SHADES




# RE SPLEN DENT

THROUGH THE COLOURS  
• REVEAL • MOODS




1071 ZF | SKY MIST




1070 ZF | ONYX GREY


# MAR- VELUS




1052 ZF | WARM TAUPE




1059 ZF | UMBER NUT




1054 ZF | VIRIDIAN ICE




1055 ZF | COFFEE BROWN



1061 ZF | PEBBLE GREY




1006 ZF | THUNDER GREY



1054 AF | VIRIDIAN ICE


AS P A R K O F T I M E L E S S B E A U T Y

# LUMINOUS




1055 AF | COFFEE


BEYOND THE FRAME  
• UNFOLD • ARTISTRY




1058 AF | SEPIA COLT




1057 AF | IRON DEEP




1063 AF | COCOA MIST




1062 AF | TAN BERRY




1070 BF | ONYX GREY




1072 BF | DEEP SEA



1060 BF | SAND DUNE




1065 BF | FLAMINGO




1061 BF | PEBBLE GREY

A WHISPER OF CRAFTED ELEGANCE


# JUBILANT



1056 BF | DAFFODIL BIT



1066 BF | ORCHID PINE




1006 BF | THUNDER GREY


INSIDE THE GRAIN  
• DISCOVER • DETAIL




Scan For #3d  
Walkthrough




9124 ZS | MAHOE WOOD



1069 ZS | EGG GREY



1070 ZS | ONYX GREY



1072 ZS | DEEP SEA



1043 HG | BAMBU GREEN



1074 HG | SEAFOAM MID




1075 HG | SHAMROCK ART




1076 HG | LAGOON GLUE

# BOUN TIFUL

ACROSS THE TEXTURE  
• REVEAL • DIMENSIONS



1051 HG | SALMONA



1052 HG | WARM TAUPE



1053 HG | MINT FROST



1054 HG | VIRIDIAN ICE




1055 HG | COFFEE BROWN

AWAYE OF LASTING PLENDOR




A REALM OF REGAL FINESSE

# CHARISMATIC




1062 HG | TAN BERRY




1064 HG | CARAMEL MIST




1063 HG | COCOA MIST



1065 HG | FLAMINGO



1066 HG | ORCHID PINE



1056 HG | DAFFODIL BIT



1057 HG | IRON DEEP



1058 HG | SEPIA COLT



1059 HG | UMBER NUT




1060 HG | SAND DUNE



# ASTO UNDING

WITHIN THE FINISH  
• EXPLORE • DEPTH



1006 HG | THUNDER GREY




1007 HG | BROOK GREY



1061 HG | PEBBLE GREY




1935 HG | COAL BLACK




1069 HG | EGG GREY



1071 HG | SKY MIST




1073 HG | CAPRI BLUE



1070 HG | ONYX GREY




1072 HG | DEEP SEA



AGLOW OF ENDURING BRILLIANCE

# VIBRANT




1901 HG | MISTRY MILD



1067 HG | CANARY YELLOW




1902 HG | CREAMY WILD




1068 HG | VERMILION


VISION OF FINITERRACE  
**EUPHORIC**



1043 ZS | BAMBU GREEN




1074 ZS | SEAFOAM MID




1075 ZS | SHAMROCK ART




1076 ZS | LAGOON GLUE




1051 ZS | SALMONA BELL



1052 ZS | WARM TAUPE



1053 ZS | MINT FROST




1054 ZS | VIRIDIAN ICE




1055 ZS | COFFEE BROWN

A BLEND OF CLASSIC SOPHISTICATION


# RESOUR CEFUL




1062 ZS | TAN BERRY




1064 ZS | CARMEL MIST



1066 ZS | ORCHID PINE



1063 ZS | COCOA MIST




1065 ZS | FLAMINGO



# CHEERFUL

A CROWN OF ARTISTIC EXCELLENCE




1006 ZS | THUNDER GREY




1007 ZS | BROOK GREY




1061 ZS | PEBBLE GREY




1935 ZS | COAL BLACK



1056 ZS | DAFFODIL BIT



1057 ZS | IRON DEEP



1058 ZS | SEPIA COLT



1059 ZS | UMBER NUT




1060 ZS | SAND DUNE






1069 ZS | EGG GREY




1070 ZS | ONYX GREY



1071 ZS | SKY MIST




1072 ZS | DEEP SEA



1073 ZS | CAPRI BLUE


A LEGACY OF CRAFTED WONDER  
**JOYFUL**



1901 ZS | MISTRY MILD



1902 ZS | CREAMY WILD



1067 ZS | CANARY YELLOW



1068 ZS | VERMILION

SR.NO	D.NO.	FINISH	NAME	PAGE NO.
1	1006	RS	THUNDER GREY	12
2	1006	RF	THUNDER GREY	15
3	1006	TB	THUNDER GREY	20
4	1006	ZF	THUNDER GREY	36
5	1006	ZS	THUNDER GREY	40
6	1006	BF	THUNDER GREY	44
7	1006	HG	THUNDER GREY	52
8	1006	ZS	THUNDER GREY	59
9	1007	RS	BROOK GREY	12
10	1007	RF	BROOK GREY	15
11	1007	ZS	BROOK GREY	36
12	1007	HG	BROOK GREY	52
13	1007	ZS	BROOK GREY	59
14	1043	ZS	BAMBU GREEN	6
15	1043	RS	BAMBU GREEN	14
16	1043	RF	BAMBU GREEN	16
17	1043	CS	BAMBU GREEN	33
18	1043	HG	BAMBU GREEN	47
19	1043	ZS	BAMBU GREEN	55
20	1051	CS	SALMONA BELL	34
21	1051	HG	SALMONA BELL	48
22	1051	ZS	SALMONA BELL	56
23	1052	ZF	WARM TAUPE	39
24	1052	HG	WARM TAUPE	48
25	1052	ZS	WARM TAUPE	56
26	1053	CS	MINT FROST	34
27	1053	HG	MINT FROST	48
28	1053	ZS	MINT FROST	56
29	1054	ZS	VIRIDIAN ICE	18
30	1054	SB	VIRIDIAN ICE	25
31	1054	ZF	VIRIDIAN ICE	40
32	1054	AF	VIRIDIAN ICE	41
33	1054	HG	VIRIDIAN ICE	48
34	1054	ZS	VIRIDIAN ICE	56
35	1055	ZS	COFFEE BROWN	18
36	1055	ZV	COFFEE BROWN	23
37	1055	SB	COFFEE BROWN	25
38	1055	ZF	COFFEE BROWN	40
39	1055	AF	COFFEE BROWN	41
40	1055	HG	COFFEE BROWN	48
41	1055	ZS	COFFEE BROWN	56
42	1056	TB	DAFFODIL BIT	21
43	1056	ZV	DAFFODIL BIT	23
44	1056	BF	DAFFODIL BIT	44
45	1056	HG	DAFFODIL BIT	51
46	1056	ZS	DAFFODIL BIT	60
47	1057	RR	IRON DEEP	9
48	1057	SB	IRON DEEP	26
49	1057	AF	IRON DEEP	42
50	1057	HG	IRON DEEP	51
51	1057	ZS	IRON DEEP	60
52	1058	RR	SEPIA COLT	9
53	1058	AF	SEPIA COLT	42
54	1058	HG	SEPIA COLT	51
55	1058	ZS	SEPIA COLT	60

SR.NO	D.NO.	FINISH	NAME	PAGE NO.
56	1059	SB	UMBER NUT	26
57	1059	ZF	UMBER NUT	39
58	1059	HG	UMBER NUT	51
59	1059	ZS	UMBER NUT	60
60	1060	RR	SAND DUNE	10
61	1060	TB	SAND DUNE	21
62	1060	BF	SAND DUNE	44
63	1060	HG	SAND DUNE	51
64	1060	ZS	SAND DUNE	60
65	1061	RR	PEBBLE GREY	10
66	1061	TB	PEBBLE GREY	20
67	1061	ZF	PEBBLE GREY	40
68	1061	BF	PEBBLE GREY	44
69	1061	HG	PEBBLE GREY	52
70	1061	ZS	PEBBLE GREY	59
71	1062	RS	TAN BERRY	13
72	1062	ZV	TAN BERRY	24
73	1062	ZS	TAN BERRY	28
74	1062	CL	TAN BERRY	29
75	1062	AF	TAN BERRY	42
76	1062	HG	TAN BERRY	50
77	1062	ZS	TAN BERRY	57
78	1063	RS	COCOA MIST	13
79	1063	ZV	COCOA MIST	24
80	1063	ZS	COCOA MIST	28
81	1063	AF	COCOA MIST	42
82	1063	HG	COCOA MIST	50
83	1063	ZS	COCOA MIST	57
84	1064	CL	CARAMEL MIST	29
85	1064	HG	CARAMEL MIST	50
86	1064	ZS	CARAMEL MIST	57
87	1065	TB	FLAMINGO	19
88	1065	BF	FLAMINGO	44
89	1065	HG	FLAMINGO	50
90	1065	ZS	FLAMINGO	57
91	1066	TB	ORCHID PINE	19
92	1066	BF	ORCHID PINE	44
93	1066	HG	ORCHID PINE	50
94	1066	ZS	ORCHID PINE	57
95	1067	HG	CANARY YELLOW	54
96	1067	ZS	CANARY YELLOW	62
97	1068	HG	VERMILION	54
98	1068	ZS	VERMILION	62
99	1069	RR	EGG GREY	8
100	1069	TB	EGG GREY	22
101	1069	CL	EGG GREY	31
102	1069	ZS	EGG GREY	46
103	1069	HG	EGG GREY	53
104	1069	ZS	EGG GREY	61
105	1070	RR	ONYX GREY	7
106	1070	ZF	ONYX GREY	38
107	1070	BF	ONYX GREY	43
108	1070	ZS	ONYX GREY	46
109	1070	HG	ONYX GREY	53
110	1070	ZS	ONYX GREY	61
111	1071	TB	SKY MIST	22
112	1071	ZF	SKY MIST	37

SR.NO	D.NO.	FINISH	NAME	PAGE NO.
113	1071	HG	SKY MIST	53
114	1071	ZS	SKY MIST	61
115	1072	CS	DEEP SEA	34
116	1072	BF	DEEP SEA	43
117	1072	ZS	DEEP SEA	46
118	1072	HG	DEEP SEA	53
119	1072	ZS	DEEP SEA	61
120	1073	CL	CAPRI BLUE	31
121	1073	HG	CAPRI BLUE	53
122	1073	ZS	CAPRI BLUE	61
123	1074	ZS	SEAFOAM MID	6
124	1074	RS	SEAFOAM MID	14
125	1074	RF	SEAFOAM MID	16
126	1074	CS	SEAFOAM MID	33
127	1074	HG	SEAFOAM MID	47
128	1074	ZS	SEAFOAM MID	55
129	1075	ZS	SHAMROCK ART	6
130	1075	RF	SHAMROCK ART	16
131	1075	CL	SHAMROCK ART	32
132	1075	HG	SHAMROCK ART	47
133	1075	ZS	SHAMROCK ART	55
134	1076	SB	LAGOON GLUE	26
135	1076	HG	LAGOON GLUE	47
136	1076	ZS	LAGOON GLUE	55
137	1101	HG PR	PALLADIUM MILD	1
138	1102	HG PR	MOONLIT PEARL	1
139	1103	HG PR	HEMATITE IVORY	1
140	1104	HG PR	TUNGSTEN SOFT	1
141	1105	HG PR	ELECTRUM GLOW	1
142	1106	HG PR	STARLIGHT WHITE	1
143	1107	HG PR	MERCURY ARTIST	2
144	1108	HG PR	OBSIDIAN GLAZE	2
145	1109	HG PR	COBALT HOLIEST	2
146	1110	HG PR	STERLING SILVER	2
147	1111	HG PR	OSMIUM RADIANC	3
148	1112	HG PR	OBSIDIAN METALIC	3
149	1113	HG PR	LUNAR SILVERIAN	3
150	1114	HG PR	SATEEN NICKELS	3
151	1115	HG PR	DIAMOND SHEEN	3
152	1901	RF	MISTRY MILD	16
153	1901	SB	MISTRY MILD	26
154	1901	CL	MISTRY MILD	32
155	1901	CS	MISTRY MILD	34
156	1901	HG	MISTRY MILD	54
157	1901	ZS	MISTRY MILD	62
158	1902	HG	CREAMY WILD	54
159	1902	ZS	CREAMY WILD	62
160	1935	HG	COAL BLACK	52
161	1935	ZS	COAL BLACK	59
162	9120	ZS	BIRCH WOOD	36
163	9121	ZS	MAPLE WOOD	18
164	9122	ZS	MERANTI WOOD	28
165	9123	ZS	PARLYTE GREY	6
166	9124	ZS	MAHOE WOOD	46

Properties	Specified Values As Per IS 2046-1995	Conforms
Product	High Pressure Decorative Laminated Sheets	✓
Size	2440mm x 1220mm (8 x 4 ft.)	✓
Thickness	1mm (±10%)	✓
Resistance to surface wear	350 (Revolution)	✓
Resistance to immersion in boiling Water		✓
-Mass Increase (%)	10.0 Max.	✓
-Thickness Increase (%)	11.8 Max.	✓
Resistance to dry heat 180° C	Not worse Than 4	✓
Dimensional stability at deviated temperature		✓
-Longitudinal (%)	0.5 Max.	✓
-Transverse (%)	0.9 Max.	✓
Dimensional stability at 20° C		✓
-Longitudinal (%)	0.375 Max.	✓
-Transverse (%)	0.60 Max.	✓
Resistance to impact by small diameter ball	20N Min.	✓
Resistance to Cracking	Not wore than 4	✓
Resistance to scratching	2N Min.	✓
Resistance to Staining	Not wore than 5	✓
Resistance to colour change (wool standards)		✓
-In Xenon arc light	Not worse than 6	✓
- In enclosed Carbon arc light	Not worse than 5	✓
Resistance to cigarette burns	Not worse than 3	✓
Resistance to steam	Not worse than 4	✓
Appearance	Should be free from foreign particles	✓

All testes may not valid for embossed & metallic laminates.

**Product** : High Pressure Decorative Laminated Sheets  
**Size** : 2440mm x 1220mm (8 x 4 ft.)  
**Thickness** : 1mm (other thickness available on request)  
**Quality Standard** : Imported Design base paper are used  
 Use of best quality kraft paper.

**Limited Warranty** : warrants that its products are reasonably free from manufacturing defects. The products when properly used will comply, with normal deviations, to related manufacturing specification. It excludes damage resulting from accidents, abuse or lack of Care, improper used and / or any alternation. It is recommended that the product must be inspected prior to installation and our liability will be limited to the extent of the cost of the product only. Laminates are used for various applications, without possibility of control over the manufacturing of the finished product. The company does not assume obligations or liabilities arising from the furnishing, sale, installation or repair, use or subsequent sale of any products, to any person or entity.


**Care & Maintenance** : Cleaning should be carried out with a soft moist cloth and warm solution. Do not use Detergents containing abrasive particles or excess soda.

**Note**

1. Samples presented are indicative of colour, pattern and surface finish but not of actual thickness. High gloss sheets are recommended for vertical application only.
2. Finishes other than shown here will be available on request
3. Laminates provides only replacement of the product if any manufacturing fault occurs. No replacement guarantee will be given if any application or handling mistake is done by the carpenter. Also company is not liable for fevicol and plywood replacement if any problem occurs in pasting laminates

**Direction To Use**

- Before using the laminate, ensure that the surface of plywood and laminate is clean, dry, leaved and free of oils, excess moisture or other contaminants, such as dust, synthetic particles etc.
- The adhesive should always be stirred before use. Sufficient adhesive should be applied on either or both of the surfaces to be bonded. Don't add water to the adhesive, it makes the bonding weak.
- Once the adhesive applied is tacky in nature (usually requires 5-10 minutes, depending on atmospheric conditions), the laminate should be placed on the surface, accurately aligned.
- Sufficient bonding pressure to ensure intimate contact necessary for an adequate bond should be applied over the entire area using as much pressure as possible without damaging the assembly. Pinch (rotary press) and heavy weighted rollers are ideal. Hand rolling should be done from the center to the edges to ensure the removal of all air bubbles. The edges should be rolled twice.
- For satisfactory bonding, the area in question should be kept under pressure for a period of 12-18 hours (depending on atmospheric conditions).
- In rainy season or when humidity is too high, moisture may-condense on the surface during drying (known as "blushing") and will prevent an acceptable bond. Hot spray or forced air drying may be used to help prevent this condition.
- It is recommended that the maximum sheets size used for vertical field application be limited to 610 x 2440mm (2 x 8 ft) larger panels are required, these should be fabricated in the shop.
- When laminate is pasted vertically, maintain uniform pressure on all sides till adhesive is dried.
- To avoid stress cracking, avoid making cut outs having sharp and rough edges.
- A gap of minimum 2mm should be maintained between two laminates, while pasting side by side.



**NO CLAIM WILL BE ENTERTAINED FOR AIR BUBBLES**



**NO CLAIM WILL BE ENTERTAINED FOR CRACKING ARISING OUR OF GROOVE CURRYING OR L SHAPE**



Zero Reflection, Anti Finger Mark, Anti Scratch, No Repeat Design